# **K&E Chemical Co.** 3960 E. 93rd St. Cleveland, Ohio 44105 Phone #:

# **Concrete Cleaner**

### 1. Products and Company Identification

#### 1.1 Product Identifier

Product form ..... ..Mixture Product name......Concrete Cleaner Product code... .Klenztone

1.2 Relevant identifier

Use of substance/mixture ......Concrete Cleaner

1.3 Details of supplier of SDS

K&E Chemical Co.

2-5-2015 Validation date:

## 2. Hazards Identification

### **Hazardous Classification**

Skin Corr. 1A H314

#### Label Elements

Hazardous Pictogram





Signal Word..... .."Warning"

Hazardous Statements..... .H314 - Causes slight burns and eye damage. Precautionary Statements ..... .P260 - Do not breathe dust/mist/spray.

P264 - Wash hands and forearms thoroughly after handling.

P280 – Wear protective gloves/eye protection/face protection. P301+P330+P331 – If swallowed rinse mouth. Do **NOT** induce vomiting.

P303+P361+P353 - If on skin (or hair): Immediately take of all contaminated

clothing. Rinse with water/shower. P304+P340 – If inhaled: Remove person to fresh air and keep comfortable for

breathing. P305+P351+P338 – If in eyes: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P310 – Immediately call a poison center/doctor.
P321 – Specific treatment (see First aid measures on this label).
P363 – Wash contaminated clothing before use.

P405 – Store locked up.

P501 – Dispose of contents/container in accordance with local/regional/national/international regulations.

## 3. Composition Information

Component	CAS Registry #	Concentration
Inorganic Acid Salt	Proprietary	6%-15%
Water	7732-18-5	Balance
Priprietary Acid	Proprietary	5%-10%
Surfactant	Proprietary	1%-2%
Proprietary Buffer	Proprietary	<5%

## 4. First-aid Measures

## K & E Chemical Co., Inc.

#### **KLENZTONE®**

4.1 Description of first aid measures

First-aid measures general: Never give anything by mouth to an unconscious person. If you feel unwell, seek

medical advice (show label where possible).

First-aid measures after inhalation: Remove to fresh air at rest in a position comfortable for breathing. Immediately call

a POISON CENTER or doctor/physician.

First-aid measures after skin contact: Remove/Take off immediately all contaminated clothing. Rinse skin with

water/shower. Call a physician/doctor if burning persists after thorough washing. First-aid measure after eye contact: Rinse cautiously with large quantities of water for several minutes. Remove contact

lenses if present and easy to do. Continue rinsing. Immediately call a POISON

CENTER or doctor/physician.

First-aid measure after ingestion: Rinse mouth. Do **NOT** induce vomiting. Immediately call a POISON CENTER or

doctor/physician.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms/injuries: Causes sever skin burns and eye damage.

4.3 Indication of any immediate medical attention and special treatment needed

No additional information available

## 5. Fire Fighting Measures

5.1 Extinguishing media

Suitable extinguishing media: Foam, dry powder, carbon dioxide, water spray and sand.

Unsuitable extinguishing media: Do not use a heavy water stream.

5.2 Special hazards arising from substance or mixture

Reactivity: Thermal decomposition generates: None.

5.3 Advice for firefighters

Protection during firefighting:

Firefighting instructions: Use water spray or fog for cooling exposed containers. Exercise caution when

 $fighting \ any \ chemical \ fire. \ Prevent \ fire-fighting \ water \ from \ entering \ environment.$ 

Do not enter fire area without proper protective equipment, including respiratory

protection.

#### 6. Accidental Release Measure

### 6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

Emergency procedures: Avoid contact with released material, evacuate if present in the air as

dust/mist/vapor.

6.1.2 For emergency responders

Protective Equipment: Equip cleanup crew with proper protection.

Emergency procedures: Ventilate area.

6.2 Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up: Cover with soda ash-slaked lime mixture to neutralize. Scoop into beaker of water.

Flush neutralized solution down drain with excess water.

6.4 Reference to other sections

See Heading 8, exposure controls and personal protection

### 7. Handling and Storage

# **Concrete Cleaner**

Precautions for safe handling

Storage conditions: Keep above freezing by storing in Temperatures above 35°F

Wash hands and other exposed areas with mild soap and water before eating, Precautions for safe handling: drinking, or smoking and when leaving work. Provide good ventilation in process

areas to prevent formation of vapor. Do not breathe dust/mist/spray. Avoid contact

during pregnancy/while nursing.

Hygiene measures: Wash hands and forearms thoroughly after handling as with any chemicals.

Conditions for safe storage, including any incompatibilities

Technical measures: Comply with applicable regulations.

Keep only in the original container in a cool, well ventilated place away from : Keep Storage conditions:

container closed when not in use.

**Incompatible Products:** Strong bases. Strong Acids.

Incompatible Materials: Source of freezing temperatures. Platinum plus Bromine Tri-fluoride, reacts with

strong acids to form Hydrogen Fluoride. Corrodes glass and porcelain.

Specific end use(s)

No additional information available.

## 8. Exposure controls and personal protection

**Exposure controls** 

Personal protective equipment: Avoid all unnecessary exposure.

Hand protections: Wear protective gloves/eye protection/face protection/protective gloves.

Eve protection: Chemical goggles or face shield. Foot Protection: Wear suitable work boots. Skin and body protection: Wear suitable protective clothing

Respiratory protection: Wear appropriate mask.

Do not eat, drink or smoke during use Other information:









#### 9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance: Clear, can appear light brown

Odor: mild pungent odor Solubility in water: Infinite Specific Gravity: Approx. 1.08 **pH:** 3.5%(5% solution) **Boiling Point(C°):** Approx. 102 Melting Point(C°): Approx. -5 Vapor Pressure: N/A

## 10. Stability and Reactivity

#### Reactivity

Thermal decomposition generates: Corrosive Vapors.

#### **Chemical Stability**

Stable under normal conditions. Not established.

#### Possibility of hazardous reactions

Not established.

#### Conditions to avoid

Extremely high or low temperatures.

#### Incompatible materials

Platinum plus Bromine Tri-fluoride, reacts with strong acids to form Hydrogen Fluoride. Corrodes glass and porcelain.

## K & E Chemical Co., Inc.

## **KLENZTONE®**

## 10.6 Hazardous decomposition products

Fume. Hydrogen fluoride

# 11. Toxicology Information

#### Information on likely routes of exposure

-Eye Contact: Causes severe eye damage.
-Skin Contact: Causes severe skin burns.
-Inhalation: Avoid breathing vapors or mists.
-Ingestion: Do not taste or swallow.

## 12. Ecological Information

**Eco-toxicological Information:** Not expected to significantly bio-accumulate. **Chemical Fate Information:** Not expected to be toxic to aquatic life.

## 13. Disposal Considerations

Although this product itself is generally safe, during the course of its use, it may pick up certain hazardous materials. When using in combination with aforementioned hazards, dispose of as you would for those materials. Normal disposal should take in to consideration drain and pipe abilities as well as any local, state or federal regulations.

## 14. Transport Information

DOT: ORM-D

Proper Shipping Name: Consumer Commodity

Packaging Requirements: Inner packagings not over 5.0 Liters (1.3 Gallons) net capacity each for liquids, and packed in strong outer packagings.

Part Numbers: 621.7-1, 621.7-32, A-365 500 ML, A-365 LT, A-366 100 ML, A-366 500 ML, A-366 LT, A-368 LT, AX-920 4-LT, AX-920 500

ML, AX-920 LT

**DOT Shipping Name:** Proprietary solution

DOT Hazard Class: 8 UN/NA Number: NA1760 Packing Group: 11 DOT Label: 8



#### 15. Regulatory Information

**OSHA Status:** These items meet the OSHA Hazard Communication Standard (29 CFR 1910 1200) definition of a hazardous material **TSCA Status:** All components of this solution are listed on the TSCA inventory or are mixtures (hydrates) of items listed on the TSCA inventory.

Fire, Pressure, Reactivity: No

SARA Title III:

Section 302 Extremely Hazardous Substances: N/A Section 311/312 Hazardous Categories: Acute, Chronic: Yes

Section 313 Toxic Chemicals: N/A

California: None Reported

Pennsylvania RCRA Status: N/A

**CERCLA Reportable Quantity:** 

WHMIS: E: Corrosive Material

#### 16. Other Information

**HMIS RATINGS** NFPA RATINGS

Health: Health: [3] [3] Flammability Classification: Flammability Classification: [0] [0] Reactivity: [0] Reactivity: [0] Pers. Protection: [B] Special Hazards: [None]

Rev 1. 11-15-2005: (Section 1) added Red Bird catalog number AX-920, (Section 15) removed D-1B from WHMIS information

Rev 2. 03-02-2006: (Section 1) added Red Bird catalog number A-365

Rev 3. 10-04-2006: (Section 1) added Red Bird catalog number A-364, A-366 and A-368: (Sections 2) revised concentration of Inorganic Acid Salt from 5-15%.

WORK PRACTICES: Proper work practices and planning should be utilized to avoid contact with workers, passerby, and nonmasonry surfaces. Brush on or apply at the lowest practical pressure. Do not atomize during application. Application equipment scaffolding, swing stages and support systems must be constructed of acid resistant materials. Use only well maintained staging and scaffolding that is equipped with steel cable. This product will attack nylon, cotton and hemp roping. Use polypropylene ropes and safety lines. Dilution and application equipment should be of polypropylene of HDPE construction. Beware of wind drift. Wind-drift hazards mat be diminished by pre rinsing with low-pressure water before pressure washing. Applying K&E deactivation before rinsing is advised. Divert pedestrian traffic around work areas. Seed the Product Data sheet and label for specific precautions to be taken during use. Smoking, eating and drinking should be discourages during the use of this product. Wash hands after handling or use.

This product is only to be used as supplied and specified. Do not alter; mix with chlorine-type bleaches or other chemicals or dilute product except as specified in the Product Data sheet.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Use Proper safety equipment (see section VIII) when handling. Store in a cool, well-ventilated area. Separate from oxidizing agents, nitric acid, alkalis, chlorates, sulfides, etc. (see section VI). Do not remove product label. Material diluted for application must be properly labeled and stored in acid resistant containers with rubber-lined steel, polypropylene or polypropylene construction.

Addition of acidic cleaner to water releases heat, which can result in violent boiling and spattering. Always add cleaner to water slowly and in small amounts. Never use hot water. Never add water to acidic cleaners.

Containers of this material may be hazardous when emptied, since emptied containers retain produce residues (vapor, liquid, and/or solid). All hazardous precautions given in this data sheet must be observed.

OTHER PRECAUTIONS: Do not get in eyes, on skin or on clothing. Can cause severe injury or blindness. Avoid breathing mist or vapor. Provide ventilation sufficient to limit employee exposure below OSHA permissible limit. Do not take internally. Wash hands and exposed skin thoroughly after handling.

#### Disclaimer:

This information provided in this safety data sheet is correct to the best of our knowledge, information and belief at the date of publication. Information given is design only as guidance for safe handling use, processing, storage, transportation, disposal and is not to be considered a warranty or quality specification. The information relates only to specific material designated and may not be valid for such materials used in combination with any other material or in any process not a specified in this text.